I

Ichikawa, K., Models for quick activation of transducin and spontaneous deactivation of activated rhodopsin in rod outer segments, 74
Ikari, Y., see Hironaka, T., 337
Imai, S., see Onozuka, M., 37
Innami, T., Miyake, M. and Kakimoto, Y., In vitro carboxymethylation of myelin basic protein, 143
Inoue, K., see Domoto, T., 309
Ishihara, H., see Kato, T., 241
Ishii, S., see Kato, 241
Ishiwata, Y., see Enomoto, S., 396
Iwahori, N. and Kiyota, E., A Golgi study on the neuronal organization of the neostriatum in the mouse, 454

J

Jonsson, G., see Nakai, K., 433
Jost, S., see Rissler, K., 343

K

Kaba, H., see Tanka, J., 424
Kakimoto, Y., see Innami, T., 143
Kameyama, M., see Koshimura, K., 330
Kanamori, N., Hippocampal minispindle wave in the cat: the different distribution of two types of waves, 152
Kapocsi, J., Zimanyi, I., Farsang, C. and Vizi, E.S., Presynaptic α_2-adrenoceptors exclusively sensitive to agonists of phenylethylamine structure on the sympathetic nerves of the human gall bladder artery, 413
Kasai, H., Aosaki, T. and Fukuda, J., Presynaptic Ca-antagonist ω-conotoxin irreversibly blocks N-type Ca-channels in chick sensory neurons, 228
Kasai, S., see Toyama, T., 110
Kasamatsu, T., see Nakai, K., 433
Kashihara, K., Fukuda, K., Sato, M. and Otsuki, S., Haloperidol prevents the methamphetamine-induced apomorphine subsensitivity of dopamine metabolism in rat striatum, 428
Katakura, N., see Enomoto, S., 396
Katayama, T., see Enomoto, S., 396
Kato, M., see Hosokawa, S., 249
Kato, T., Ishihara, H., Shimizu, A., Yokosawa, H., Ishii, S. and Komiya, Y., The axonal transport of dipeptidyl aminopeptidase II, angiotensin-converting enzyme and other peptidases in rat sciatic nerves, 241
Kato, T., see Koshimura, K., 330
Kawata, K. and Nomura, Y., Suppressing effect of pertussis toxin on clonidine-induced inhibition of noradrenaline release from cerebral cortical slices of rats, 236
Keane, P.E., see Crespi, F., 323
Kishii, K., see Onozuka, M., 37
Kiyota, E., see Iwahori, N., 454
Kodachi, K., Sibuya, M., Endo, Y. and Homma, I., Inhibitory effect of acupuncture on the finger flexion reflex induced by finger tip vibration, 419
Komatsu, Y., see Toyama, K., 83
Komiya, Y., see Kato, 241
Koshimura, K., Kato, T., Yohyama, I., Nakamura, S. and Kameyama, M., Correlation of choline acetyltransferase activity between the nucleus basalis of Meynert and the cerebral cortex, 330
Kozasa, T., see Toyama, K., 83

L

Lachapelle, P., see Molotchnikoff, S., 385
Lakshmanan, J., Mouse saliva prevents the β-nerve growth factor – dependent neurite formation in PC-12 cells, 211
Lopiano, L. and Savio, T., Inferior olive lesion induces long-term modifications of cerebellar inhibition on Deiters nuclei, 51

M

Maeda, K., see Toyama, T., 110
Maeyama, M., see Hatada, Y., 25
Matsuoka, H., Topographic arrangement of the projection from the anterior thalamic nuclei to the cingulate cortex in the cat, 62
Miyake, M., see Innami, T., 143
Miyamoto, E., see Hatada, Y., 25
Miyata, M., Interconnections between the subthalamic nucleus and the cerebral cortex of the cat, 1
Miyata, Y., Nakano, S. and Yasuda, E., Postnatal transient expression of long-lasting descending inhibitory effect on spinal reflexes in the rat, 268
Mohadjer, M., see Rissler, K., 343
Molotchnikoff, S., Sicard, E. and Lachapelle, P., Modulations of collicular visual responses by acoustic stimuli in rabbits, 385
Mori, K., Specific carbohydrate expression by small-diameter subclasses of rabbit trigeminal,

glossopharyngeal, and vagal afferent fibers studied with the lectin *Ulex europaeus* agglutinin I, 291
Mundinger, F., see Rissler, K., 343
Munemura, M., see Hatada, Y., 25
Muramoto, K., Ono, T. and Shibata, R., A microcomputer-based system for detailed analysis of rat behavior, 157

N

Nakai, K., Jonsson, G. and Kasamatsu, T., Norepinephrinergic reinnervation of cat occipital cortex following localized lesions with 6-hydroxydopamine, 433
Nakai, K., Regenerative catecholamine-containing terminals in kitten visual cortex: an ultrastructural study, 475
Nakamura, S., see Koshimura, K., 330
Nakamura, Y., see Enomoto, S., 396
Nakano, S., see Miyata, Y., 268
Nomura, Y., see Kawata, K., 236

O

Ogita, K. and Yoneda, Y., Differentiation of the Ca^{2+}-stimulated binding from the Cl^--dependent binding of [^{3}H]glutamate in synaptic membranes from rat brain, 129
Ogita, K. and Yoneda, Y., Possible presence of [^{3}H]glutathione (GSH) binding sites in synaptic membranes from rat brain, 486
Ohno, T. and Tsubokawa, H., Regional differences in the cat caudate nucleus as to the effectiveness in inducing contraversive head-turning by electrical stimulation, 497
Oka, J.-I., Yamada, M., Goto, M. and Fukuda, H., Diazepam restores the increased [^{3}H]glutamate binding to hippocampal synaptic membranes in the amygdaloid-kindled rat, 185
Oki, M., see Domoto, T., 309
Ono, T., see Muramoto, K., 157
Onoda, N., see Tazawa, Y., 357
Onozuka, M., Furuichi, H., Kishii, K. and Imai, S., Membrane properties and intracellular biochemical processes during vasopressin-induced bursting activity in snail neurons, 37
Otani, K., see Tokunaga, A., 195
Otsuki, S., see Kashihara, K., 428
Ozaki, T., see Domoto, T., 309

P

Prada, C., Effect of light deprivation upon the morphology of axon terminals in the dorsal lateral geniculate nucleus of mouse: an electron microscopical study using serial sections, 255

R

Rissler, K., Jost, S., Mohadjer, M., Mundinger, F. and Cramer, H., Molecular size distribution of somatostatin-like immunoreactivity in the cerebroventricular fluid of neurosurgical patients, 343

S

Saito, H., see Tanaka, J., 424
Sakamoto, M., see Hikosaka, O., 304
Sakoda, Y., see Hatada, Y., 25
Sasa, M., see Hara, M., 279
Sato, M., see Kashihara, K., 428
Savio, T., see Lopiano, L., 51
Schall, U., Vestibular, olfactory, and vibratory responses of nucleus basalis prosencephali neurons in pigeons, 376
Seto, K., see Tanaka, J., 424
Shibata, R., see Muramoto, K., 157
Shimizu, A., see Kato, T., 241
Sibuya, M., see Kodachi, K., 419
Sicard, E., see Molotchnikoff, S., 385
Sugita, S., see Tokunaga, A., 195
Sunada, T., see Enomoto, S., 396
Suzuki, K., see Aikawa, H., 67

T

Takagi, S.F., see Tazawa, Y., 357
Takaori, S., see Hara, M., 279
Tanaka, J., Saito, H., Kaba, H. and Seto, K., Subfornical organ neurons act to enhance the activity of paraventricular vasopressin neurons in response to intravenous angiotensin II, 424
Tazawa, Y., Onoda, N. and Takagi, S.F., Olfactory input to the lateral hypothalamus of the old world monkey, 357
Tegoshi, S., see Hosokawa, S., 249
Tokunaga, A., Sugita, S. and Otani, K., Uncrossed retino-geniculate and retino-tectal projections in the hereditary unilateral microphthalmic rats, 195

Toyama, K., Komatsu, Y. and Kozasa, T., The responsiveness of Clare–Bishop neurons to motion cues for motion stereopsis, 83
Toyama, T., Fujii, K., Kasai, S. and Maeda, K., The responsiveness of Clare–Bishop neurons to size cues for motion stereopsis, 110
Tsubokawa, H., see Ohno, T., 497

V

Vizi, E.S., see Kapocsi, J., 413

W

Walberg, F., see Brodal, P., 12

Y

Yamada, M., see Oka, J.-I., 185
Yasuda, H., see Miyata, Y., 268
Yohyama, I., see Koshimura, K., 330
Yokosawa, H., see Kato, T., 241
Yoneda, Y., see Ogita, K., 129
Yoneda, Y., see Ogita, K., 486

Z

Zimanyi, I., see Kapocsi, J., 413

Neuroscience Research, 4 (1987) 522–530
Elsevier Scientific Publishers Ireland Ltd.

Key Word Index

A

A23187
phorbol ester; protein phosphorylation; anterior pituitary cell; stimulus-secretion coupling, 25

Acupuncture
vibration; vibration-induced flexion reflex; spinal reflex; long-loop reflex; cross-correlation, 419

Adenylate cyclase
vasopressin; bursting activity; cyclic AMP; protein kinase; calcium; snail neuron, 37

α_2-Adrenoceptor
inhibitory guanosine triphosphate (GTP)-binding protein; noradrenaline release; clonidine; pertussis toxin; cerebral cortical slice, 236

α_2-Adrenoceptor agonist and antagonist
human cystic artery; noradrenaline release; presynaptic receptor; prazosin; heterogeneity of α_2-adrenoceptor, 413

Aganglionic rat
colon; extrinsic nerve; vasoactive intestinal polypeptide; immunohistochemistry, 309

Alzheimer type dementia (ATD)
choline acetyltransferase (ChAT); nucleus basalis of Meynert (nbM); cerebral cortex, 330

Amelioration
avian muscular dystrophy; phenobarbital; righting ability; histological change; ECRL muscle; early treatment, 337

2-Amino-4-phosphonobutyric acid
[^{3}H]glutamate binding; Cl^--dependent; Ca^{2+}-stimulated binding; anion transport carrier; quisqualic acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

6-Aminonicotinamide
endothelial cell; mitosis; postnatal brain; suckling mouse; ultrastructure, 67

Amygdala
diazepam; [^{3}H]glutamate binding; $CaCl_2$; hippocampus; kindling; rat, 185

Anaesthesia
differential pulse voltammetry; diazepam; Ro 15-1788; ascorbate; 3,4-dihydroxyphenylacetic acid (DOPAC); 5-hydroxyindoleacetic acid (5-HIAA), 323

Angiotensin II
subfornical organ; paraventricular nucleus; vasopressin neuron; saralasin, 424

Angiotensin-converting enzyme
axonal transport; dipeptidyl peptidase II; prolyl endopeptidase; leucyl aminopeptidase; sciatic nerve, 241

Anion transport carrier
[^{3}H]glutamate binding; Cl^--dependent binding; Ca^{2+}-stimulated binding; quisqualic acid; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

Anterior pituitary cell
A23187; phorbol ester; protein phosphorylation; stimulus-secretion coupling, 25

Anterior thalamic nucleus
cingulate cortex; cat; HRP, 62

Anterograde transport
cerebellar nucleus; pontine nucleus; nucleus reticularis tegmenti pontis; HRP-WGA; retrograde transport, 12

Apomorphine
haloperidol; [^{14}C]deoxyglucose method; local cerebral glucose utilization; cerebellum; stripe-like pattern; parasagittal "microzone", 249

methamphetamine; haloperidol; γ-butyrolactone; dopamine; autoreceptor; rat; striatum, 428

Area 20
pupil; local cooling; lateral suprasylvian area; extrastriate cortex; occipital cortex; cat, 316

Ascorbate
differential pulse voltammetry; diazepam; Ro 15-1788; 3,4-dihydroxyphenylacetic acid (DOPAC); 5-hydroxyindoleacetic acid (5-HIAA); anaesthesia, 323

L-Ascorbic acid
[^{3}H]glutamate binding; Cl^--dependent binding; Ca^{2+}-stimulating binding; anion transport carrier; quisqualic acid; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent, 129

Audio–visual interaction
superior colliculus; rabbit, 385

Autoreceptor
methamphetamine; haloperidol; apomorphine; γ-butyrolactone; dopamine; rat; striatum, 428

Avian muscular dystrophy
phenobarbital; amelioration; righting ability; histological change; ECRL muscle; early treatment, 337

Axonal transport
dipeptidyl peptidase II; angiotensin-converting enzyme; prolyl endopeptidase; leucyl aminopeptidase; sciatic nerve, 241

B

Basal ganglia
somatostatin; molecular size distribution; cerebroventricular fluid; hypothalamus; tumor, 343

caudate nucleus; head-turning; circling; postural control; cat, 497

Bay K 8644
ω-conotoxin; N-type Ca-channel; transmitter release; dorsal root ganglion cell; whole-cell clamp; dihydropyridine compounds, 228

Binocular vision
prestriate cortex; Clare–Bishop cortex; motion stereopsis; motion cue, 83

Clare–Bishop cortex; motion stereopsis; motion cue; size cue, 110

Bursting activity
vasopressin; cyclic AMP; protein kinase; calcium; adenylate cyclase; snail neuron, 37

γ-Butyrolactone
methamphetamine; haloperidol; apomorphine; dopamine; autoreceptor; rat; striatum, 428

C

Cl^--dependent binding
[^{3}H]glutamate binding; Ca^{2+}-stimulated binding; anion transport carrier; quisqualic acid; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

Ca^{2+}-stimulated binding
[^{3}H]glutamate binding; Cl^--dependent binding; anion transport carrier; quisqualic acid; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

$CaCl_2$
diazepam; [^{3}H]glutamate binding; hippocampus; amygdala; kindling; rat, 185

Calcium
vasopressin; bursting activity; cyclic AMP; protein kinase; adenylate cyclase; snail neuron, 37

Carbohydrate
lectin; trigeminal afferent; glossopharyngeal afferent; vagal afferent; neuronal subset, 291

Cat
HRP, corticosubthalamic projection; subthalamocortical projection; subthalamic nucleus; frontal cortex, 1

anterior thalamic nucleus; cingulate cortex; HRP, 62

cerebellum; neck reflex; vestibulospinal reflex; lateral vestibular nucleus; somatotopy; tail, 167

pupil; local cooling; lateral suprasylvian area; area 20; extrastriate cortex; occipital cortex, 316

caudate nucleus; basal ganglia; head-turning; circling; postural control, 497

Cat occipital cortex
regenerative norepinephrine terminal; chemical lesion, 433

Catecholamine terminal
6-hydroxydopamine; denervation; reinnervation; kitten visual cortex, 475

Caudate nucleus
basal ganglia; head-turning; circling; postural control; cat, 497

Cerebellar inhibition
Deiters nucleus; inferior olive; plasticity, 51

Cerebellar nucleus
pontine nucleus; nucleus reticularis tegmenti pontis; HRP-WGA; retrograde transport; anterograde transport, 12

Cerebellum
apomorphine; haloperidol; [^{14}C]deoxyglucose method; local cerebral glucose utilization; stripe-like pattern; parasagittal "microzone", 249

neck reflex; vestibulospinal reflex; lateral vestibular nucleus; somatotopy; tail; cat, 167

Cerebral cortex
choline acetyltransferase (ChAT); nucleus basalis of Meynert (nbM); Alzheimer type dementia (ATD), 330

Cerebral cortical slice
α_2-adrenoceptor; inhibitory guanosine triphosphate (GTP)-binding protein; noradrenaline release; clonidine; pertussis toxin, 236

Cerebroventricular fluid
somatostatin; molecular size distribution; hypothalamus; basal ganglia; tumor, 343

Chemical lesion
regenerative norepinephrine terminal; cat occipital cortex, 433

Choline acetyltransferase (ChAT)
nucleus basalis of Meynert (nbM); cerebral cortex; Alzheimer type dementia (ATD), 330

Cingulate cortex
anterior thalamic nucleus; cat; HRP, 62

Circling
caudate nucleus; basal ganglia; head-turning; postural control; cat, 497

Clare–Bishop cortex
binocular vision; prestriate cortex; motion stereopsis; motion cue, 83

binocular vision; motion stereopsis; motion cue; size cue, 110

Clonidine
α_2-adrenoceptor; inhibitory guanosine triphosphate (GTP)-binding protein; noradrenaline release; pertussis toxin; cerebral cortical slice, 236

Colon
aganglionic rat; extrinsic nerve; vasoactive intestinal polypeptide; immunohistochemistry, 309

ω-Conotoxin
N-type Ca-channel; transmitter release; dorsal root ganglion cell; whole-cell clamp; dihydropyridine compounds; Bay K 8644, 228

Cortical masticatory area
masseter motoneuron; masticatory rhythm; inhibition; strychnine; tetanus toxin, 396

Corticosubthalamic projection
cat; HRP; subthalamocortical projection; subthalamic nucleus; frontal cortex, 1

Cross-correlation
vibration; acupuncture; vibration-induced flexion reflex; spinal reflex; long-loop reflex, 419

Cyclic AMP
vasopressin; bursting activity; protein kinase; calcium; adenylate cyclase; snail neuron, 37

D

Dark-rearing
mouse; retinal axon terminal; synaptic vesicle density, 255

Deiters nucleus
cerebellar inhibition; inferior olive; plasticity, 51

Denervation
catecholamine terminal; 6-hydroxydopamine; reinnervation; kitten visual cortex; 475

[^{14}C]Deoxyglucose method
apomorphine; haloperidol; local cerebral glucose utilization; cerebellum; stripe-like pattern; parasagittal "microzone", 249

Descending inhibition
excitatory postsynaptic potential; dorsal root

potential; monosynaptic reflex; neuronal development; spinal cord, 268

Diazepam
[^{3}H]glutamate binding; $CaCl_2$; hippocampus; amygdala; kindling; rat, 185

differential pulse voltammetry; Ro 15-1788; ascorbate; 3,4-dihydroxyphenylacetic acid (DOPAC); 5-hydroxyindoleacetic acid (5-HIAA); anaesthesia, 323

Differential pulse voltammetry
diazepam; Ro 15-1788; ascorbate; 3,4-dihydroxyphenylacetic acid (DOPAC); 5-hydroxyindoleacetic acid (5-HIAA); anaesthesia, 323

Dihydropyridine compounds
ω-conotoxin; N-type Ca-channel; transmitter release; dorsal root ganglion cell; whole-cell clamp; Bay K 8644, 228

3,4-Dihydroxyphenylacetic acid (DOPAC)
differential pulse voltammetry; diazepam; Ro 15-1788; ascorbate; 5-hydroxyindoleacetic acid (5-HIAA); anaesthesia, 323

Dipeptidyl peptidase II
axonal transport; angiotensin-converting enzyme; prolyl endopeptidase; leucyl aminopeptidase; sciatic nerve, 241

Directional vestibular sensitivity
nucleus basalis prosencephali; olfactory projection; feeding system; pigeon, 376

Dopamine
methamphetamine; haloperidol; apomorphine; γ-butyrolactone; autoreceptor; rat; striatum, 428

Dorsal lateral geniculate nucleus
uncrossed retinal projection; hereditary unilateral microphthalamic rat; superior colliculus, 195

Dorsal root ganglion cell
ω-conotoxin; N-type Ca-channel; transmitter release; whole-cell clamp; dihydropyridine compounds; Bay K 8644, 228

Dorsal root potential
excitatory postsynaptic potential; descending inhibition; monosynaptic reflex; neuronal development; spinal cord, 268

Dorsal root sensory ganglia
β-nerve growth factor; mouse saliva; radioimmunoassay; pheochromatocytoma; neurite outgrowth, 211

E

Early treatment
avian muscular dystrophy; phenobarbital; amelioration; righting ability; histological change; ECRL muscle, 337

ECRL muscle
avian muscular dystrophy; phenobarbital; amelioration; righting ability; histological change; early treatment, 337

Endothelial cell
6-aminonicotinamide; mitosis; postnatal brain; suckling mouse; ultrastructure, 67

Excitatory postsynaptic potential
descending inhibition; dorsal root potential; monosynaptic reflex; neuronal development; spinal cord, 268

Extrastriate cortex
pupil; local cooling; lateral suprasylvian area; area 20; occipital cortex; cat, 316

Extrinsic nerve
colon; aganglionic rat; vasoactive intestinal polypeptide; immunohistochemistry, 309

Eye movement
rat; spontaneous saccade; neck electromyogram, 304

F

Feeding system
nucleus basalis prosencephali; olfactory projection; directional vestibular sensitivity; pigeon, 376

Freely moving rat
motor activity; rotational behavior; moving velocity; microcomputer, 157

Frontal cortex
cat; HRP; corticosubthalamic projection; subthalamocortical projection; subthalamic nucleus, 1

G

Glossopharyngeal afferent
lectin; carbohydrate; trigeminal afferent; vagal afferent; neuronal subset, 291

[^{3}H]Glutamate binding
Cl^--dependent; Ca^{2+}-stimulated binding; anion transport carrier; quisqualic acid; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

diazepam; $CaCl_2$; hippocampus; amygdala; kindling; rat, 185

[^{3}H]Glutamate binding site
synaptic membrane; *S*-methylglutathione; structure-selectivity; glutamatergic neurotransmission, 486

Glutamatergic neurotransmission
[^{3}H]glutathione binding site; synaptic membrane; *S*-methylglutathione; structure-selectivity, 486

Golgi method
neuronal organization; neostriatum; mouse, 454

H

Haloperidol
apomorphine; [^{14}C]deoxyglucose method; local cerebral glucose utilization; cerebellum; stripe-like pattern; parasagittal "microzone", 249

methamphetamine; apomorphine; γ-butyrolactone; dopamine; autoreceptor; rat; striatum, 428

Head-turning
caudate nucleus; basal ganglia; circling; postural control; cat, 497

Hereditary unilateral microphthalamic rat
uncrossed retinal projection; dorsal lateral geniculate nucleus; superior colliculus, 195

Heterogeneity of α_2-adrenoceptor
human cystic artery; noradrenaline release; presynaptic receptor; α_2-adrenoceptor agonist and antagonist; prazosin, 413

Hippocampus
minispindle wave; sleep–wakefulness cycle; slow-wave sleep; vigilance level, 152

diazepam; [^{3}H]glutamate binding; $CaCl_2$; amygdala; kindling; rat, 185

Histological change
avian muscular dystrophy; phenobarbital; amelioration; righting ability; ECRL muscle; early treatment, 337

HRP
cat; corticosubthalamic projection; subthalamocortical projection; subthalamic nucleus; frontal cortex, 1

anterior thalamic nucleus; cingulate cortex; cat, 62

lateral hypothalamic area (LHA); odor; response pattern; olfactory pathway; old world monkey, 357

HRP-WGA
cerebellar nucleus; pontine nucleus; nucleus reticularis tegmenti pontis; retrograde transport; anterograde transport, 12

Human cystic artery
noradrenaline release; presynaptic receptor; α_2-adrenoceptor agonist and antagonist; prazosin; heterogeneity of α_2-adrenoceptor, 413

Hydrophilic SH-reactive agent
[^{3}H]glutamate binding; Cl^--dependent; Ca^{2+}-stimulated binding; anion transport carrier; quisqualic acid; 2-amino-4-phosphonobutyric acid; L-ascorbic acid, 129

6-Hydroxydopamine
catecholamine terminal; denervation; reinnervation; kitten visual cortex, 475

9-Hydroxyindoleacetic acid (5-HIAA)
differential pulse voltammetry; diazepam; Ro 15-1788; ascorbate; 3,4-dihydroxyphenylacetic acid (DOPAC); anaesthesia, 323

Hypothalamus
somatostatin; molecular size distribution; cerebroventricular fluid; basal ganglia; tumor, 343

I

Immunohistochemistry
colon; aganglionic rat; extrinsic nerve; vasoactive intestinal polypeptide, 309

Inferior olive
cerebellar inhibition; Deiters nucleus; plasticity, 51

Inhibition
masseter motoneuron; cortical masticatory area; masticatory rhythm; strychnine; tetanus toxin, 396

Inhibitory guanosine triphosphate (GTP)-binding protein
α_2-adrenoceptor; noradrenaline release; clonidine; pertussis toxin; cerebral cortical slice, 236

Iontophoresis
methamphetamine; nucleus accumbens; parafascicular nucleus; single neuron, 279

K

Kindling
diazepam; [^{3}H]glutamate binding; $CaCl_2$; hippocampus; amygdala; rat, 185

Kitten visual cortex
catecholamine terminal; 6-hydroxydopamine; denervation; reinnervation, 475

L

Lateral hypothalamic area (LHA)
odor; response pattern; olfactory pathway; old world monkey; HRP, 357

Lateral suprasylvian area
pupil; local cooling; area 20; extrastriate cortex; occipital cortex; cat, 316

Lateral vestibular nucleus
cerebellum; neck reflex; vestibulospinal reflex; somatotopy; tail; cat, 167

Lectin
carbohydrate; trigeminal afferent; glossopharyngeal afferent; vagal afferent; neuronal subset, 291

Leucyl aminopeptidase
axonal transport; dipeptidyl peptidase II; angiotensin-converting enzyme; prolyl endopeptidase; sciatic nerve, 241

Local cerebral glucose ulitization
apomorphine; haloperidol; [^{14}C]deoxyglucose method; cerebellum; stripe-like pattern; parasagittal "microzone", 249

Local cooling
pupil; lateral suprasylvian area; area 20; extrastriate cortex; occipital cortex; rat, 316

Long-loop reflex
vibration; acupuncture; vibration-induced flexion reflex; spinal reflex; cross-correlation, 419

M

Masseter motoneuron
cortical masticatory area; masticatory rhythm; inhibition; strychnine; tetanus toxin, 396

Masticatory rhythm
masseter motoneuron; cortical masticatory area; inhibition; strychnine; tetanus toxin, 396

Metarhodopsin II
rod outer segments (ROS); rhodopsin; transducin; serial–parallel activation; parallel–parallel activation, 74

Methamphetamine
iontophoresis; nucleus accumbens; parafascicular nucleus; single neuron, 279

haloperidol; apomorphine; γ-butyrolactone; dopamine; autoreceptor; rat; striatum, 428

Microcomputer
motor activity; rotational behavior; moving velocity; freely moving rat, 157

Minispindle wave
hippocampus; sleep–wakefulness cycle; slow-wave sleep; vigilance level, 152

Mitosis
6-aminonicotinamide; endothelial cell; postnatal brain; suckling mouse; ultrastructure, 67

Molecular size distribution
somatostatin; cerebroventricular fluid; hypothalamus; basal ganglia; tumor, 343

Monosynaptic reflex
excitatory postsynaptic potential; descending inhibition; dorsal root potential; neuronal development; spinal cord, 268

Motion cue
binocular vision; prestriate cortex; Clare–Bishop cortex; motion stereopsis, 83

binocular vision; Clare–Bishop cortex; motion stereopsis; size cue, 110

Motion stereopsis
binocular vision; prestriate cortex; Clare–Bishop cortex; motion cue, 83

binocular vision; Clare–Bishop cortex; motion cue; size cue, 110

Motor activity
rotational behavior; moving velocity; microcomputer; freely moving rat, 157

Mouse
dark-rearing; retinal axon terminal; synaptic vesicle density, 255

Mouse saliva
β-nerve growth factor; radioimmunoassay; pheochromocytoma; dorsal root sensory ganglia; neurite outgrowth, 211

Moving velocity
motor activity; rotational behavior; microcomputer; freely moving rat, 157

Myelin basic protein
protein carboxymethylase; rat brain, 143

N

β-Nerve growth factor
mouse saliva; radioimmunoassay; pheochromocytoma; dorsal root sensory ganglia; neurite outgrowth, 211

N-type Ca-channel
ω-conotoxin; transmitter release; dorsal root ganglion cell; whole-cell clamp; dihydropyridine compounds; Bay K 8644, 228

Neck electromyogram
rat; eye movement; spontaneous saccade, 304

Neck reflex
cerebellum; vestibulospinal reflex; lateral vestibular nucleus; somatotopy; tail; cat, 167

Neostriatum
neuronal organization; mouse; Golgi method, 454

Neurite outgrowth
β-nerve growth factor; mouse saliva; radioimmunoassay; pheochromocytoma; dorsal root sensory ganglia, 211

Neuronal development
excitatory postsynaptic potential; descending inhibition; dorsal root potential; monosynaptic reflex; spinal cord, 268

Neuronal organization
neostriatum; mouse; Golgi method, 454

Neuronal subset
lectin; carbohydrate; trigeminal afferent; glossopharyngeal afferent; vagal afferent, 291

Noradrenaline release
α_2-adrenoceptor; inhibitory guanosine triphosphate (GTP)-binding protein; clonidine; pertussis toxin; cerebral cortical slice, 236

human cystic artery; presynaptic receptor; α_2-adrenoceptor agonist and antagonist; prazosin; heterogeneity of α_2-adrenoceptor, 413

Nucleus accumbens
methamphetamine; iontophoresis; parafascicular nucleus; single neuron, 279

Nucleus basalis of Meynert (nbM)
choline acetyltransferase (ChAT); cerebral cortex; Alzheimer type dementia (ATD), 330

Nucleus basalis prosencephali
olfactory projection; directional vestibular sensitivity; feeding system; pigeon, 376

Nucleus reticularis tegmenti pontis
cerebellar nucleus; pontine nucleus; HRP-WGA; retrograde transport; anterograde transport, 12

O

Occipital cortex
pupil; local cooling; lateral suprasylvian area; area 20; extrastriate cortex; cat, 316

Odor
lateral hypothalamic area (LHA); response pattern; olfactory pathway; old world monkey; HRP, 357

Old world monkey
lateral hypothalamic area (LHA); odor; response pattern; olfactory pathway; HRP, 357

Olfactory pathway
lateral hypothalamic area (LHA); odor; response pattern; old world monkey; HRP, 357

Olfactory projection
nucleus basalis prosencephali; directional vestibular sensitivity; feeding system; pigeon, 376

P

Parafascicular nucleus
methamphetamine iontophoresis; nucleus accumbens; single neuron, 279

Parallel–parallel activation
rod outer segments (ROS); rhodopsin; metarhodopsin II; transducin; serial–parallel activation, 74

Parasagittal "microzone"
apomorphine; haloperidol; [^{14}C]deoxyglucose method; local cerebral glucose utilization; cerebellum; stripe-like pattern, 249

Paraventricular nucleus
subfornical organ; vasopressin neuron; angiotensin II; saralasin, 424

Pertussis toxin
α_2-adrenoceptor; inhibitory guanosine triphosphate (GTP)-binding protein; noradrenaline release; clonidine; cerebral cortical slice, 236

Phenobarbital
avian muscular dystrophy; amelioration; righting ability; histological change; ECRL muscle; early treatment, 337

Pheochromocytoma
β-nerve growth factor; mouse saliva; radioimmunoassay; dorsal root sensory ganglia; neurite outgrowth, 211

Phorbol ester
A23187; protein phosphorylation; anterior pituitary cell; stimulus-secretion coupling, 25

Pigeon
nucleus basalis prosencephali; olfactory projection; directional vestibular sensitivity; feeding system, 376

Plasticity
cerebellar inhibition; Deiters nucleus; inferior olive, 51

Pontine nucleus
cerebellar nucleus; nucleus reticularis tegmenti pontis; HRP-WGA; retrograde transport; anterograde transport, 12

Postnatal brain
6-aminonicotinamide; endothelial cell; mitosis; suckling mouse; ultrastructure, 67

Postural control
caudate nucleus; basal ganglia; head-turning; circling; cat, 497

Prazosin
human cystic artery; noradrenaline release; presynaptic receptor; α_2-adrenoceptor agonist and antagonist; heterogeneity of α_2-adrenoceptor, 413

Prestriate cortex
binocular vision; Clare–Bishop cortex; motion stereopsis; motion cue, 83

Presynaptic receptor
human cystic artery; noradrenaline release; α_2-adrenoceptor agonist and antagonist; prazosin; heterogeneity of α_2-adrenoceptor, 413

Prolyl endopeptidase
axonal transport; dipeptidyl peptidase II; angiotensin-converting enzyme; leucyl aminopeptidase; sciatic nerve, 241

Protein carboxymethylase
myelin basic protein; rat brain, 143

Protein kinase
vasopressin; bursting activity; cyclic AMP; calcium; adenylate cyclase; snail neuron, 37

Protein phosphorylation
A23187; phorbol ester; anterior pituitary cell; stimulus-secretion coupling, 25

Pupil
local cooling; lateral suprasylvian area; area 20; extrastriate cortex; occipital cortex; cat, 316

Q

Quisqualic acid
[^{3}H]glutamate binding; Cl^--dependent; Ca^{2+}-stimulated binding; anion transport carrier; 2-amino-4-phosphonobutyric acid; hydrophilic SH-reactive agent; L-ascorbic acid, 129

R

Rabbit
superior colliculus; audio–visual interaction, 385

Radioimmunoassay
β-nerve growth factor; mouse saliva; pheochromocytoma; dorsal root sensory ganglia; neurite outgrowth, 211

Rat
diazepam; [^{3}H]glutamate binding; $CaCl_2$; hippocampus; amygdala; kindling, 185

eye movement; spontaneous saccade; neck electromyogram, 304

methamphetamine; haloperidol; apomorphine; γ-butyrolactone; dopamine; autoreceptor; striatum, 428

Rat brain
protein carboxymethylase; myelin basic protein, 143

Regenerative norepinephrine terminal
cat occipital cortex; chemical lesion, 433

Reinnervation
catecholamine terminal; 6-hydroxydopamine; denervation; kitten visual cortex, 475

Response pattern
lateral hypothalamic area (LHA); odor; olfactory pathway; old world monkey; HRP, 357

Retinal axon terminal
mouse; dark-rearing; synaptic vesicle density, 255

Retrograde transport
cerebellar nucleus; pontine nucleus; nucleus reticularis tegmenti pontis; HRP-WGA; anterograde transport, 12

Rhodopsin
rod outer segments (ROS); metarhodopsin II; transducin; serial–parallel activation; parallel–parallel activation, 74

Righting ability
avian muscular dystrophy; phenobarbital; amelioration histological change; ECRL muscle; early treatment, 337

Ro 15-1788
differential pulse voltammetry; diazepam; ascorbate; 3,4-dihydroxyphenylacetic acid (DOPAC); 5-hydroxyindoleacetic acid (5-HIAA); anaesthesia, 323

Rod outer segments (ROS)
rhodopsin; metarhodopsin II; transducin; serial–parallel activation; parallel–parallel activation, 74

Rotational behavior
motor activity; moving velocity; microcomputer; freely moving rat, 157

S

Saralasin
subfornical organ; paraventricular nucleus; vasopressin neuron; angiotensin II, 424

Sciatic nerve
axonal transport; dipeptidyl peptidase II; angiotensin-converting enzyme; prolyl endopeptidase; leucyl aminopeptidase, 241

Serial–parallel activation
rod outer segments (ROS); rhodopsin; metarhodopsin II; transducin; parallel–parallel activation, 74

Single neuron
methamphetamine; iontophoresis; nucleus accumbens; parafascicular nucleus, 279

Size cue
binocular vision; Clare–Bishop cortex; motion stereopsis; motion cue, 110

Sleep–wakefulness cycle
hippocampus; minispindle wave; slow-wave sleep; vigilance level, 152

Slow-wave sleep
hippocampus; minispindle wave; sleep–wakefulness cycle; vigilance level, 152

***S*-methylglutathione**
[^{3}H]glutathione binding site; synaptic membrane; structure–selectivity; glutamatergic neurotransmission, 486

Snail neuron
vasopressin; bursting activity; cyclic AMP; protein kinase; calcium; adenylate cyclase, 37

Somatostatin
molecular size distribution; cerebroventricular fluid; hypothalamus; basal ganglia; tumor, 343

Somatotopy
cerebellum; neck reflex; vestibulospinal reflex; lateral vestibular nucleus; tail; cat, 167

Spinal cord
excitatory postsynaptic potential; descending inhibition; dorsal root potential; monosynaptic reflex; neuronal development, 268

Spinal reflex
vibration; acupuncture; vibration-induced flexion reflex; long-loop reflex; cross-correlation, 419

Spontaneous saccade
rat; eye movement; neck electromyogram, 304

Stimulus-secretion coupling
A23187; phorbol ester; protein phosphorylation; anterior pituitary cell, 25

Striatum
methamphetamine; haloperidol; apomorphine; γ-butyrolactone; dopamine; autoreceptor; rat, 428

Stripe-like pattern
apomorphine; haloperidol; [^{14}C]deoxyglucose method; local cerebral glucose utilization; cerebellum; parasagittal "microzone", 249

Structure-selectivity
[^{3}H]glutathione binding site; synaptic membrane; *S*-methylglutathione; glutamatergic neurotransmission, 486

Strychnine
masseter motoneuron; cortical masticatory area; masticatory rhythm; inhibition; tetanus toxin, 396

Subfornical organ
paraventricular nucleus; vasopressin neuron; angiotensin II; saralasin, 424

Subthalamic nucleus
cat; HRP; corticosubthalamic projection; subthalamocortical projection; frontal cortex, 1

Subthalamocortical projection
cat; HRP; corticosubthalamic projection; subthalamic nucleus; frontal cortex, 1

Suckling mouse
6-aminonicotinamide; endothelial cell; mitosis; postnatal brain; ultrastructure, 67

Superior colliculus
uncrossed retinal projection; hereditary unilaterally microphthalamic rat; dorsal lateral geniculate nucleus, 195

audio–visual interaction; rabbit, 385

Synaptic membrane
[^{3}H]glutathione binding site; *S*-methylglutathione; structure-selectivity; glutamatergic neurotransmission, 486

Synaptic vesicle density
mouse; dark-rearing; retinal axon terminal, 255

T

Tail
cerebellum; neck reflex; vestibulospinal reflex; lateral vestibular nucleus; somatotopy; cat, 167

Tetanus toxin
masseter motoneuron; cortical masticatory area; masticatory rhythm; inhibition; strychnine, 396

Transducin
rod outer segments (ROS); rhodopsin; metarhodopsin II; serial–parallel activation; parallel–parallel activation, 74

Transmitter release
ω-conotoxin; N-type Ca-channel; dorsal root ganglion cell; whole-cell clamp; dihydropyridine compounds; Bay K 8644, 228

Trigeminal afferent
lectin; carbohydrate; glossopharyngeal afferent; vagal afferent; neuronal subset, 291

Tumor
somatostatin; molecular size distribution; cerebroventricular fluid; hypothalamus; basal ganglia, 343

U

Ultrastructure
6-aminonicotinamide; endothelial cell; mitosis; postnatal brain; suckling mouse, 67

Uncrossed retinal projection
hereditary unilaterally microphthalamic rat; dorsal lateral geniculate nucleus; superior colliculus, 195

V

Vagal afferent
lectin; carbohydrate; trigeminal afferent; glossopharyngeal afferent; neuronal subset, 291

Vasoactive intestinal polypeptide
colon; aganglionic rat; extrinsic nerve; immunohistochemistry, 309

Vasopressin
bursting activity; cyclic AMP; protein kinase; calcium; adenylate cyclase; snail neuron, 37

Vasopressin neuron
subfornical organ; paraventricular nucleus; angiotensin II; saralasin, 424

Vestibulospinal reflex
cerebellum; neck reflex; lateral vestibular nucleus; somatotopy; tail; cat, 167

Vibration
acupuncture; vibration-induced flexion reflex; spinal reflex; long-loop reflex; cross-correlation, 419

Vibration-induced flexion reflex
vibration; acupuncture; spinal reflex; long-loop reflex; cross-correlation, 419

Vigilance level
hippocampus; minispindle wave; sleep-wakefulness cycle; slow-wave sleep, 152

W

Whole-cell clamp
ω-conotoxin; N-type Ca-channel; transmitter release; dorsal root ganglion cell; dihydropyridine compounds; Bay K 8644, 228